2016 Iowa State Poultry Judging CDE Written Exam

1.	Wh	at percent of broiler production occurs under a contract system?		
	a.			
		75%		
		99%		
		44%		
2.	Which segment of the digestive system secretes the enzyme pepsin			
		Liver		
		Proventriculus		
		Gall Bladder		
		Ventriculus		
3.	All parts of a chick are distinguishable by what day of incubation?			
	a.	3		
	b.	6		
	c.	10		
	d.	18		
4.	Increased mortality at days and of hatching is considered normal			
	a.	2,12		
	b.	4,18		
	c.	9,18		
	d.	7,15		
5.	What ratio should calcium to phosphorus be in the diet			
	a.	1-1		
	b.	2-1		
	c.	3-1		
		4-1		
6.	What is a major benefit in using Air Chilling to cool poultry carcasses?			
•		Efficiency		
		Costs		
		Reduction in bacterial contamination		
		Yields		
7.	Which of the following is most likely connected to late hatching chicks?			
		High setter temperature		
	b.	Small sized eggs		
		Nutritional deficiencies		
		Low Hatcher temperature		
8.	What state produced 45,000,000 turkeys in 2010 and is currently ranked first?			
	a.	Missouri		
		North Carolina		
		Minnesota		
		Arkansas		
9.		er five days of storage, hatchability is decreased by how much per day?		
	a05-1%			
		1-2%		
		2-4%		
		5-6%		
	٠.	,-		

- 10. Which of the following is a unit of light used in the poultry industry?
 - a. Lux
 - b. Sun Equivalency Unit
 - c. PSI
 - d. Ohm
- 11. Which is not regulation or guidelines that effect the layer industry?
 - a. Egg products inspection law
 - b. The egg safety rule
 - c. HACCP
 - d. Incredible egg law
- 12. What is the recommended **minimum** time to begin preheating a broiler barn in preparation for chick arrival?
 - a. 5 hours
 - b. 10 hours
 - c. 24 hours
 - d. 72 hours
- 13. What is the general temperature settings for starting turkey poults?
 - a. 100-105°F at floor level, 75°F Room temp
 - b. 90-95°F at floor level, 75°F Room temp
 - c. 90-105°F at floor level, 90°F Room temp
 - d. 90-95°F at floor level, 90°F Room temp
- 14. What kind of operation has the goal to produce fertile eggs for the table egg industry?
 - a. Egg pullet operation
 - b. Egg laying operation
 - c. Egg breeder operation
 - d. Egg processing operation
- 15. Turkey producers are often paid based on:
 - a. Pounds of birds produced
 - b. Number of birds produced
 - c. Efficiency of the producer
 - d. B and C
- 16. The majority of commercial light hybrid layers are derived from:
 - a. Rhode Island Reds
 - b. White Leghorns
 - c. Cornish
 - d. Plymouth Rocks
- 17. Which hormone is influenced by the dark-light cycle and causes ovulation?
 - a. Luteinizing hormone
 - b. Oxytocin
 - c. Follicle stimulating hormone
 - d. Prolactin

- 18. Started by Henry A. Wallace, what Iowa based genetics company developed hybridized layer chicks? a. Dekalb Poultry Research b. Lohman c. Cobb Vantress d. Hy-line
- 19. Modern poultry diets are formulated based primarily on what?
 - a. Digestible Energy
 - b. Total Dietary Nutrients
 - c. Gross Energy
 - d. Metabolizable energy
- 20. Which of the following senses is the **Least** developed in poultry?
 - a. Touch
 - b. Smell
 - c. Sight
 - d. Hearing
- 21. What is the correct position for an embryo in an egg?
 - a. Head pointed towards small end
 - b. Feet above head
 - c. Head outside wing
 - d. Head tucked under right wing
- 22. Comparatively, is a grain used in greater levels in Europe than in the US as a poultry feedstuff. It also improves pellet quality.
 - a. Wheat
 - b. Barley
 - c. Oats
 - d. Corn
- 23. Currently, what is the typical method of stunning before processing in the US?
 - a. Controlled-atmosphere stunning
 - b. Electrical Current
 - c. Stunning is not used.
 - d. Hypnotizing
- 24. What breed of duck is used almost exclusively in commercial duck production?
 - a. Mallard
 - b. Cornish
 - c. Magpie
 - d. Pekin
- 25. Which of the following is the correct order of genetic flow in commercial turkey production?
 - a. Multiplier breeder, primary breeder, commercial production,
 - b. Primary breeder, multiplier breeder, commercial production
 - c. Commercial production, multiplier breeder, primary breeder
 - d. Slaughter and processing, consumption, multiplier breeder, primary breeder

- 26. A brown egg layer eats roughly .26 lbs. feed/hen/day. For a house of 250,000 brown egg layers, how many pounds of corn will the house consume during one week? Assume the diet is 67 % corn.
 - a. 250,000 lbs.
 - b. 455,000 lbs.
 - c. 304,850 lbs.
 - d. 180,050 lbs.
- 27. A backyard flock started the week with 10 hens. Unfortunately, 3 hens were lost to a predator during the 4th night of the week. The production was 55 eggs. What was the hen day egg production for the week?
 - a. 100 %
 - b. 90 %
 - c. 85 %
 - d. 79 %
- 28. A producer wishes to provide 2 CFM per pound of body weight. His house is at capacity with 5,000 toms, averaging 40.20 lbs. What is the total airflow required in CFMs to meet the desired CFMs per pound of body weight?
 - a. Ventilation not required
 - b. 4200 CFMs
 - c. 10,000 CFMs
 - d. 402,000 CFMs
- 29. What should the maximum population of 8 pound market broilers be for a 40ft X 500ft broiler house if the desired stocking density is 1.14 ft² per bird?
 - a. 2000
 - b. 15540
 - c. 17544
 - d. 21930
- 30. A producer has raised his birds at a density of .86 square feet per bird. The average body weight is 6 pounds. What was the density of birds in the house expressed as pounds per square foot?
 - a. 6.9
 - b. 8.0
 - c. 5.16
 - d. 5.5

2016 Iowa State Poultry Judging CDE Written Exam KEY

Question #	Answer	Reference Pg. #
1	C	C-4
2	В	C-22
3	C	C-32
4	В	C-35
5	В	C-96
6	C	C-111
7	D	C-131
8	C	C-145
9	A	C-122
10	A	C-179
11	D	C-182
12	C	C-133
13	В	C-151
14	C	C-2
15	В	C-5
16	В	C-91
17	A	C-26
18	D	Common Knowledge
19	D	C-98
20	В	C-19
21	D	C-35
22	A	C-99
23	В	C-108
24	D	C-195
25	В	C-147
26	C	C-175
27	В	C-177
28	D	C-153
29	C	C-132
30	A	Conversion

^{*}Poultry CDE Manual 2012